

Your source for the latest research news

Science News

from research organizations

Eyes send an unexpected signal to the brain

A subset of retinal neurons communicates differently from the rest of the eye

- Date: April 30, 2020
- Source: Northwestern University
- *Summary:* New research has found that a subset of retinal neurons sends inhibitory signals to the brain. Before, researchers believed the eye only sends excitatory signals.

Share: f 🕑 🦻 in 🗹

FULL STORY



Closeup of eye (stock image). Credit: © Chris Tefme / stock.adobe.com

The eyes have a surprise.

For decades, biology textbooks have stated that eyes communicate with the brain exclusively through one type of signaling pathway. But a new discovery shows that some retinal neurons take a road less traveled.

New research, led by Northwestern University, has found that a subset of retinal neurons sends inhibitory signals to the brain. Before, researchers believed the eye only sends excitatory signals. (Simply put: Excitatory signaling makes neurons to fire more; inhibitory signaling makes neurons to fire less.)

The Northwestern researchers also found that this subset of retinal neurons is involved in subconscious behaviors, such as synchronization of circadian rhythms to light/dark cycles and pupil constriction to intense bright lights. By better understanding how these neurons function, researchers can explore new pathways by which light influences our behavior.

"These inhibitory signals prevent our circadian clock from resetting to dim light and prevent pupil constriction in low light, both of which are adaptive for proper vision and daily function," said Northwestern's Tiffany Schmidt, who led the research. "We think that our results provide a mechanism for understanding why our eye is so exquisitely sensitive to light, but our subconscious behaviors are comparatively insensitive to light."

The research will be published in the May 1 issue of the journal Science.

Schmidt is an assistant professor of neurobiology at Northwestern's Weinberg College of Arts and Sciences. Takuma Sonoda, a former Ph.D. student in the Northwestern University Interdepartmental Neuroscience program, is the paper's first author.

To conduct the study, Schmidt and her team blocked the retinal neurons responsible for inhibitory signaling in a mouse model. When this signal was blocked, dim light was more effective at shifting the mice's circadian rhythms.

"This suggests that there is a signal from the eye that actively inhibits circadian rhythms realignment when environmental light changes, which was unexpected," Schmidt said. "This makes some sense, however, because you do not want to adjust your body's entire clock for minor perturbations in the environmental light/dark cycle, you only want this massive adjustment to take place if the change in lighting is robust."

Schmidt's team also found that, when the inhibitory signals from the eye were blocked, mice's pupils were much more sensitive to light.

"Our working hypothesis is that this mechanism keeps pupils from constricting in very low light," Sonoda said. "This increases the amount of light hitting your retina, and makes it easier to see in low light conditions. This mechanism explains, in least part, why your pupils avoid constricting until bright light intensifies."

The research, "A non-canonical inhibitory circuit dampens behavioral sensitivity to light," was supported by a Klingenstein-Simons Fellowship in the Neurosciences, the Alfred P. Sloan Foundation and the National Institutes of Health (award numbers 1DP2EY022584, T32 EY025202 and F31 EY030360-01).

Story Source:

Materials provided by **Northwestern University**. Original written by Amanda Morris. *Note: Content may be edited for style and length.*

Journal Reference:

 Takuma Sonoda, Jennifer Y. Li, Nikolas W. Hayes, Jonathan C. Chan, Yudai Okabe, Stephane Belin, Homaira Nawabi, Tiffany M. Schmidt. A non-canonical inhibitory circuit dampens behavioral sensitivity to light. *Science*, 2020 DOI: 10.1126/science.aay3152

Cite This Page:	MLA	APA	Chicago

Northwestern University. "Eyes send an unexpected signal to the brain: A subset of retinal neurons communicates differently from the rest of the eye." ScienceDaily. ScienceDaily, 30 April 2020. <<www.sciencedaily.com/releases/2020/04/200430150201.htm>.

RELATED STORIES

New Role for Sensory Signals in the Brain

Apr. 11, 2019 — Learning how to tie a shoe or shoot a basketball isn't easy, but the brain somehow integrates sensory signals that are critical to coordinating movements so you can get it right. Now, scientists have ...

New Insights Into How Inhibitory Neurons Contribute to Functional Networks in the Cortex Mar. 8, 2017 — Networks consist of many types of neurons, including some that send excitatory signals, increasing the likelihood of other neurons firing, and some that send inhibitory signals, decreasing the ...

Scientists Discover New Mechanism of How Brain Networks Form

Dec. 26, 2016 — Scientists have discovered that networks of inhibitory brain cells or neurons develop through a mechanism opposite to the one followed by excitatory networks. Excitatory neurons sculpt and refine ...

Identification of the Action Mechanism of a Protein Impacting Neural Circuit Development May 30, 2016 — New research uncovers the action mechanism of an enzyme called DHHC9 in normal development and function of neural networks in the brain. Mutations in DHHC9 have been identified in patients suffering ...

FROM AROUND THE WEB

Below are relevant articles that may interest you. ScienceDaily shares links with scholarly publications in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Chemical studies on plant leaf movement controlled by a biological clock M. Ueda et al., Pure and Applied Chemistry, 2003

Multidimensional screening yields channelrhodopsin variants having improved photocurrent and orderof-magnitude reductions in calcium and proton currents

Yong Ku Cho, Journal of Biological Chemistry, 2019

Dynamic Modelling of Heart Beat Zeitschrift für Naturforschung A, 2014

A Cross-Disciplinary, Multiclass Educational Project Chemistry International, 2012

A Cross-Disciplinary, Multiclass Educational Project Chemistry International, 2012 Ongoing Research Efforts in Metastatic Ocular Melanoma Could Shift Paradigm

The Doctor's Channel, 2020

Endogenous factors involved in the regulation of movement and "memory" in plants

Minoru Ueda et al., Pure and Applied Chemistry, 2007

Checkpoint Toxicities Tied to Better Outcomes in Melanoma

The Doctor's Channel, 2020

Powered by TREND MD

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

Email Newsletters

RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

- f Facebook
- Twitter
- in LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?



Contact Us

About This Site | Staff | Reviews | Contribute | Advertise | Privacy Policy | Editorial Policy | Terms of Use

Copyright 2020 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.