

Science News

from research organizations

Key nose cells identified as likely COVID-19 virus entry points

Human Cell Atlas study could help understand transmission of the virus


Date: April 23, 2020

Source: Wellcome Trust Sanger Institute

Summary: Two specific nose cell types have been identified as likely initial infection points for COVID-19 coronavirus. Scientists discovered that goblet and ciliated cells in the nose have high levels of the entry proteins that the COVID-19 virus uses to get into our cells, which could help explain the high rate of transmission. The study with Human Cell Atlas Lung Biological Network found cells in the eye and some other organs also contain the viral-entry proteins.

Share: [!\[\]\(faf942dc3e59ce8eb64b4ac481eca7e0_img.jpg\)](#) [!\[\]\(f6b0299e0b5e4340e509b71914970da0_img.jpg\)](#) [!\[\]\(b5153706f6ea2fc2c42e8803b6804d18_img.jpg\)](#) [!\[\]\(2b8adb27d8c9518333278b6317e2d8a2_img.jpg\)](#) [!\[\]\(a190466037967efc7087885259e58e7a_img.jpg\)](#)

FULL STORY



SARS-CoV-2 illustration (stock image).

Credit: © [dermatzke / stock.adobe.com](#)

Two specific cell types in the nose have been identified as likely initial infection **points** for COVID-19 coronavirus. Scientists discovered that goblet and ciliated cells in the nose have high levels of the entry proteins that the COVID-19 virus uses to get into our cells. The identification of these cells by researchers from the Wellcome Sanger Institute, University Medical Centre Groningen, University Cote d'Azur and CNRS, Nice and their collaborators, as part of the Human Cell Atlas Lung Biological Network, could help explain the high transmission rate of COVID-19.

Reported today (23rd April) in *Nature Medicine*, this first publication with the Lung Biological Network is part of an ongoing international effort to use Human Cell Atlas data to understand infection and disease. It further shows that cells in the eye and some other organs also contain the viral-entry proteins. The study also predicts how a key entry protein is regulated with other immune system genes and reveals potential targets for the development of treatments to reduce transmission.

Novel coronavirus disease -- COVID-19 -- affects the lungs and airways. Patient's symptoms can be flu-like, including fever, coughing and sore throat, while some people may not experience symptoms but still have transmissible virus. In the worst cases, the virus causes pneumonia that can ultimately lead to death. The virus is thought to be spread through respiratory droplets produced when an infected person coughs or sneezes, and appears to be easily transmitted within affected areas. So far the virus has spread to more than 184 countries and claimed more than 180,000 lives.

Scientists around the world are trying to understand exactly how the virus spreads, to help prevent transmission and develop a vaccine. While it is known that the virus that causes COVID-19 disease, known as SARS-CoV-2, uses a similar mechanism to infect our cells as a related coronavirus that caused the 2003 SARS epidemic, the exact cell types involved in the nose had not previously been pinpointed.

To discover which cells could be involved in COVID-19 transmission, researchers analysed multiple Human Cell Atlas (HCA) consortium datasets of single cell RNA sequencing, from more than 20 different tissues of non-infected people. These included cells from the lung, nasal cavity, eye, gut, heart, kidney and liver. The researchers looked for which individual cells expressed both of two key entry proteins that are used by the COVID-19 virus to infect our cells.

Dr Waradon Sungnak, the first author on the paper from Wellcome Sanger Institute, said: "We found that the receptor protein -- ACE2 -- and the TMPRSS2 protease that can activate SARS-CoV-2 entry are expressed in cells in different organs, including the cells on the inner lining of the nose. We then revealed that mucus-producing goblet cells and ciliated cells in the nose had the highest levels of both these COVID-19 virus proteins, of all cells in the airways. This makes these cells the most likely initial infection route for the virus."

Dr Martijn Nawijn, from the University Medical Center Groningen in the Netherlands, said, on behalf of the HCA Lung Biological Network: "This is the first time these particular cells in the nose have been associated with COVID-19. While there are many factors that contribute to virus transmissibility, our findings are consistent with the rapid infection rates of the virus seen so far. The location of these cells on the surface of the inside of the nose make them highly accessible to the virus, and also may assist with transmission to other people."

The two key entry proteins ACE2 and TMPRSS2 were also found in cells in the cornea of the eye and in the lining of the intestine. This suggests another possible route of infection via the eye and tear ducts, and also revealed a potential for fecal-oral transmission.

When cells are damaged or fighting an infection, various immune genes are activated. The study showed that ACE2 receptor production in the nose cells is probably switched on at the same time as these other immune genes.

The work was carried out as part of the global Human Cell Atlas consortium which aims to create reference maps of all human cells to understand health and disease. More than 1,600 people across 70 countries are involved in the HCA community, and the data is openly available to scientists worldwide.

Dr Sarah Teichmann, a senior author from the Wellcome Sanger Institute and co-chair of the HCA Organising Committee, said: "As we're building the Human Cell Atlas it is already being used to understand COVID-19 and identify which of our cells are critical for initial infection and transmission. This information can be used to better understand how coronavirus spreads. Knowing which exact cell types are important for virus transmission also provides a basis for developing potential treatments to reduce the spread of the virus."

The global HCA Lung Biological Network continues to analyse the data in order to provide further insights into the cells and targets likely to be involved in COVID-19, and to relate them to patient characteristics.

Professor Sir Jeremy Farrar, Director of Wellcome, said: "By pinpointing the exact characteristics of every single cell type, the Human Cell Atlas is helping scientists to diagnose, monitor and treat diseases including COVID-19 in a completely new **way**. Researchers around the world are working at an unprecedented pace to deepen our understanding of COVID-19, and this new research is testament to this. Collaborating across borders and openly sharing research is crucial to developing effective diagnostics, treatments and vaccines quickly, ensuring no country is left behind."

MAKE A DIFFERENCE: SPONSORED OPPORTUNITY

Story Source:

Materials provided by **Wellcome Trust Sanger Institute**. *Note: Content may be edited for style and length.*

Journal Reference:

1. Waradon Sungnak, Ni Huang, Christophe Bécavin, Marijn Berg, Rachel Queen, Monika Litvinukova, Carlos Talavera-López, Henrike Maatz, Daniel Reichart, Fotios Sampaziotis, Kaylee B. Worlock, Masahiro Yoshida, Josephine L. Barnes. **SARS-CoV-2 entry factors are highly expressed in nasal epithelial cells together with innate immune genes**. *Nature Medicine*, 2020; DOI: 10.1038/s41591-020-0868-6
-

Cite This Page:

MLA

APA

Chicago

Wellcome Trust Sanger Institute. "Key nose cells identified as likely COVID-19 virus entry **points**: Human Cell Atlas study could help understand transmission of the virus." ScienceDaily. ScienceDaily, 23 April 2020. <www.sciencedaily.com/releases/2020/04/200423130420.htm>.

RELATED STORIES

How the Coronavirus Could Be Prevented from Invading a Host Cell

May 29, 2020 — How might the novel coronavirus be prevented from entering a host cell in an effort to thwart infection? A team of biomedical scientists has made a discovery that points to a solution. The scientists ...

Coronavirus SARS-CoV-2 Infects Cells of the Intestine

May 4, 2020 — Researchers have found that the coronavirus SARS-CoV-2, which causes COVID-19, can infect the cells of the intestine and multiply there. Using state-of-the-art cell culture models of the human ...

Preventing Spread of SARS Coronavirus-2 in Humans

Mar. 5, 2020 — Infection biologists have investigated how the novel coronavirus SARS-CoV-2 penetrates cells. They have identified a cellular enzyme that is essential for viral entry into lung cells: the protease ...

Study Identifies Potent Inhibitor of Zika Entry Into Human Cells

Jan. 17, 2017 — Researchers identified a panel of small molecules that inhibit Zika virus infection, including one that stands out as a potent inhibitor of Zika viral entry into relevant human cell types. They ...

FROM AROUND THE WEB

Below are relevant articles that may interest you. ScienceDaily shares links with scholarly publications in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Structured thoracic computed tomography report for COVID-19 pandemic

Shoji et al., *einstein* (São Paulo), 2020

Fair allocation of scarce medical resources during COVID-19 pandemic: ethical considerations

Satomi et al., *einstein* (São Paulo), 2020

Androgen hazards with COVID-19

Nima Sharifi, Charles J Ryan, *European Journal of Endocrinology*, 2020

Near-Complete Genome Sequence of a 2019 Novel Coronavirus (SARS-CoV-2) Strain Causing a COVID-19 Case in Peru

Microbiology Resource Announcements, 2020

Complete Genome Sequence of a SARS-CoV-2 Strain Isolated in Northern Germany

Microbiology Resource Announcements, 2020

Commercial Labs Step up Coronavirus Test Efforts After FDA Guidance

360Dx, 2020

Complete Genome Sequence of a Novel Coronavirus (SARS-CoV-2) Isolate from Bangladesh

Microbiology Resource Announcements, 2020

Intensive support recommendations for critically-ill patients with suspected or confirmed COVID-19 infection

Corrêa et al., *einstein* (São Paulo), 2020

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 [Email Newsletters](#)

 [RSS Feeds](#)

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [Twitter](#)

 [LinkedIn](#)

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2020 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.

Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.