Vol. 11(2), pp. 50-56, April-June 2020 DOI: 10.5897/JSSEM2020.0806 Article Number: D8E61CB63611 ISSN: 2141-2391 Copyright ©2020 Author(s) retain the copyright of this article http://www.academicjournals.org/JSSEM



Journal of Soil Science and Environmental Management

Full Length Research Paper

Soil conservation techniques among arable crop farmers in Odo Otin local government area, Osun state: A multinomial logit approach

Agboola Timothy Olusola¹, Balogun Olubunmi Lawrence^{2*}, Ayantoye Kayode³, Akinwole Oladele Timothy² and Ayo-Bello Taofeek Ayodeji²

¹Department of Agricultural Economics and Extension, Osun State University (Ejigbo Campus), Osun State.Nigeria. ²Department of Agricultural Economics and Extension, Babcock University, Ilishan-Remo, Ogun State, Nigeria. ³Department of Agricultural Economics and Extension, School of Agricultural Science and Veterinary Sciences, Kwara State University, Kwara State, Nigeria.

Received 3 December 2020; Accepted 24 March 2020

The study investigated the soil conservation techniques among the arable farmers in Odo Otin local government area of Osun State. Two-stage sampling procedure was employed for the study. Primary data were collected from 120 arable crop farmers in the Local Government Area. Data collected were analysed using descriptive statistics; multinomial logit regression model. Result shows that most the respondents were aware of various soil conservation and mulching/cover cropping were prominent. The result further shows that farm size is positively significant in mulching/cover cropping and shifting cultivation/bush fallowing influenced soil conservation techniques adoption. The study recommends improved conservation technology initiative aimed at enabling local farmers to adopt technology conducive to increasing income as well as to enhancing soil conservation. Also, local institutions should be strengthened and their members empowered such that they can run effective institutions and promote technology adoption at the local level themselves.

Key words: Awareness, arable crop farmers, soil conservation techniques, multinomial logit model.

INTRODUCTION

Soil undoubtedly plays pivotal roles in the agricultural production systems. As a medium that physically supports crop and animal growth, the sustainability of crop productivity also depends on the quality of soil. Though a fixed asset, soil is primarily essential to guarantee food security, industrial crop production and improved household financial status (Anjichi et al., 2007).

In the tropics (Nigeria inclusive), soil fertility deterioration is a common form of degradation, which is increasingly threatening the sustainable agricultural production of smallholder farmers whose livelihoods partly or wholly depend on soil.

Soil conservation techniques are a set of management antidotes needed to prevent the topsoil from being

^{*}Corresponding author E-mail: blarrybunmi@gmail.com.

Author(s) agree that this article remain permanently open access under the terms of the <u>Creative Commons Attribution</u> License 4.0 International License

eroded or the soil from being degraded chemically or structurally due to overuse (Lal, 2015). In the management parlance, the essence of soil conservation is to prevent or minimize waste while guaranteeing a continuous availability of soil resource to support agricultural production and preserving environment aesthetics (Acosta–Martínez et al., 2017; Blanke et al., 2007; Schwab et al., 1993).

However, the declining soil productivity coupled with incompatible land use methods will not only translate to decreasing food crop production but also threaten and endanger production of cash crops for export. In Nigeria, various soil conservation technologies such as planting of multipurpose tree hedgerows, contour vegetative hedges of vetiver, minimum tillage, double cropping, the establishment of cover crops and mineral fertilizers have been introduced to farmers through various participatory methods like establishment of Small Plot Adoption Techniques (SPATs) and demonstration plots by both governmental- and non-governmental organizations.

However, soil conservation practice adoption is a multidimensional process and numerous factors determine farmers' attitude towards a particular soil conservation practice. In addition, the complexity and inter-relationship of these myriad of socioeconomic and farm-specific factors largely are responsible for farmer's choices among the available soil conservation practices. Smallholder farmers' goal of production is gradually moving away from pure subsistence to commerce. Hence, much more than the preservation of the environment and soil, issues generally perceived to guarantee household's daily survival form the basis of soil conservation practices. In this regards it becomes pertinent to know the soil conservation technique use of food crop farmer in the study area.

Theoretical/conceptual framework and literature review

Soil is the most important resource in agriculture production to realize basic requirements of food and shelter of man. Conservation of soil resource is vital for sustainability of agriculture and environment. Soil resource is under incalculable pressure due to ever increasing population thereby ensuing growing need for food for the populace. Soil conservation is a set of management strategies for prevention of soil being eroded from the earth's surface or becoming chemically altered by overuse, salinization acidification, or other chemical soil contamination (Seenga, 2014; Dimelu et al., 2013; Ezeaku, 2012). Soil conservation technique is the application of processes to the solving of soil management problems. The type of soil management techniques employ by farmers is essential for maximizing the production of agricultural commodities and is also

important for preventing degradation of farm land (Powlson et al., 2011; Shah and Wu, 2019). Dumanski and Peiretti (2013) summarizes some of the modern approaches, ranging from no till to conservation agriculture to sustainable land management. The study found that these approaches are not separate, but components of a continuum of conservation approaches applicable at different levels and different scales. Conservation agriculture employs all modern technologies that enhance the quality and ecological integrity of the soil, but the application of these is tempered with traditional knowledge of soil husbandry gained from generations of successful farmers (Dumask et al., 2006). In the paradigm of conservation tillage, Dumansk et al. (2006) concluded that technique promotes minimum disturbance of the soil by different agricultural and non-agricultural practices, reduce longterm dependency on external inputs which often times led to increased cost of production, reduced emission of greenhouse gases and improved agricultural productivity. The major motives indicated for use of soil conservation practices among farmers are enhanced productivity, high quality products, long term nutrient value (Dimelu et al., 2013) and others include farm size, and awareness of the techniques, insufficient fund, unfavourable land tenure system, inadequate information, little technical know-how, soil conservation skills and farmers' literacy level (Bello et al., 2016; Ademola and Olujide, 2014; Babalola and Olayemi, 2013). According to Amsalu and De-Graaff (2007), most of the farmers who invest in soil conservation measures are those with large farms size and most of them time risk takers.

MATERIALS AND METHODS

Area of study

The study was carried out in Odo Otin Local Government Area of Osun State. Odo Otin Local Government has its headquarters in Okuku Town at 8° 05'N 4° 77'E. It is bound in the west by Ogbomoso, east by Ila Orangun, south by Ifelodun and north by Kwara State. Odo Otin Local Government with an area of 294 km² and has a population of 134,110 (NPC, 2006). Major towns in the Local Government are Oyan, Igbaye, Inisha, Ekosin, Okua and Okuku. The people are mainly Ibolos with trading and farming as their predominant occupation. Arable crops been planted by the people include sorghum, sweet potatoes, maize, cassava, coco yam and yam while cash crops include cocoa, kolanut, coffee and oil palm.

Sampling procedure

Two-stage random sampling was used in the selection of the respondent crop farmers from within the study area. Primary data were collected through well-structured questionnaires administered to the crop farmers in the study area. Information collected included socio-economic/demographic characteristics, farming and non-farming activities, ownership of land, farm size, awareness and

adoption of soil conservation techniques, group or association membership, etc. The first stage of the sampling involved random selection of four villages in the local government area. In the second stage, thirty-one arable crop farmers were selected for interview from each of these villages. In all, a total of 120 completely filled questionnaires by farmers were used for the analysis.

Analytical tool

Descriptive statistics and multinomial logit model were employed for the study.

Descriptive

Descriptive statistic included the table, frequency, mean, standard deviation and percentage.

Multinomial logit model

The multinomial logit (MNL) model was used to analyse the determinants of farmers' choice of adaptation methods. This method can be used to analyze crop (Kurukulasuriya and Mendelsohn, 2006) and livestock (Seo and Mendelsohn, 2006) choices as methods to adapt to the negative impacts of climate change. The advantage of the MNL is that it permits the analysis of decisions across more than two categories, allowing the determination of choice probabilities for different categories (Wooldridge, 2002). Moreover, Koch (2007) emphasizes the usefulness of this model by describing the ease of interpreting estimates from this model. To describe the MNL model, let y denote a random variable taking on the values $\{1, 2...J\}$ for J, a positive integer, and let x denote a set of conditioning variables. In this case, y denotes adaptation options or categories and x contains household attributes like sex, age, marital status, household size, farm size, membership of association and access to credit. The independent variables specified as factors influencing the adoption of soil conservation practices are defined below:

The question is how ceteris paribus changes in the elements of *x* affect the response probabilities P(y = j / x), j = 1, 2, ..., J. Since the probabilities must sum to unity, P(y = j / x) is determined once we know the probabilities for j = 2...j. Let x be a 1× k vector with first element unity. The MNL has response probabilities:

$$P(y=j / x) = \exp(x\beta j) / [1 + \sum_{h=1}^{j} \exp(x\beta h), j = 1 ... j]$$
(1)

Where, βj is k×1, j = 1.....j

Unbiased and consistent parameter estimates of the MNL model in equation (16) require the assumption of independence of irrelevant alternatives (IIA) to hold. More specifically, the IIA assumption requires that the probability of using a certain adaptation method by a given household needs to be independent from the probability of choosing another adaptation method (that is, Pj/Pk is independent of the remaining probabilities). The premise of the IIA assumption is the independent and homoscedastic disturbance terms of the basic model in equation (1).

The parameter estimates of the MNL model provide only the direction of the effect of the independent variables on the dependent (response) variable, but estimates do not represent either the actual magnitude of change nor probabilities. Differentiating Equation 1 with respect to the explanatory variables provides marginal effects of the explanatory variables given as:

$$\frac{\partial p_j}{\partial x_k} = p_j (\beta_j k - \sum_{j=1}^{j-1} p_j \beta_j k)$$
(2)

The marginal effects or marginal probabilities are functions of the probability itself and measure the expected change in probability of a particular choice being made with respect to a unit change in the independent variable from the mean (Green, 2003; Koch, 2007).

RESULTS AND DISCUSSION

Table 1 presents the distribution of farmers by selected socio-economic and demographic characteristics and farm specific variable. The result shows that majority (61.7%) of the farmers were male. The implication is that food crop farming in the study area is dominated by male farmers. Most (49.2%) of the respondent farmers were between ages 41 and 50 years with only a few above 50 years of age. The mean age of the respondent crop farmers was 44.2 years, implying that a higher percentage of the crop farmers in the study area were young and agile and possess ability and energy to contribute meaningfully to crop production and implement various soil conservation practices. Household size in the study area was high with crop farmer had an average of 7 members. This implies that most of the crop farmers in the study area with relatively large household size will find it difficult to adopt some soil conservation practices because of the implication on their finances.

Educated people are more receptive to agricultural innovation than the old and illiterate farmers. Almost half (48.3%) of the crop farmers were illiterate with non-formal education. The implication is that there is tendency for farmers no education might find it difficult to adopt soil conservation technique. Most crop farmers (48.3%) in study area had farming as their primary occupation while others 22.5, 20.0 and 9.2% were traders, civil servants and other jobs respectively. This implies that most respondents in the study area are farmers and likely aware soil conservation practices. Land ownership is a verv important determinant of adoption of soil conservation techniques, because of lack of access to farm land makes it practically impossible for farmers to embark on any soil conservation technique. The result shows that majority (83.3%) of the respondents had farmlands of their own acquiring through inheritance while the remaining secured their land through other means (rent, purchase, borrowed). Half of the crop farmers had farm size of at most one hectare. The mean

Variable	Frequency	Percentage	
Gender			
Female	46	38.3	
Male	74	61.7	
Total	120	100	
Age			
<30	10	8.3	
31-40	26	21.7	
41-50	59	49.2	
>50	25	20.8	
Total	120	100.0	
Mean= 44.2, SD=1.1			
Household size			
Less than 5	30	25.0	
5-9	80	56.7	
Above 9	10	8.3	
Total	120	100.0	
Mean= 7.0 SD=0.1			
Educational qualification			
No formal education	42	35.0	
Primary	35	29.2	
Secondary	39	32.5	
Tertiary	4	3.3	
Total	120	100.0	
Primary occupation			
Farming	58	48.3	
Trading	27	22.5	
Civil servant	24	20.0	
Others	11	9.2	
Total	120	100.0	
Land ownership			
Inheritance	100	83.3	
Rent	3	2.5	
Borrowed	11	9.2	
Lease/purchase	6	5.0	
Total	120	100.0	
Farm size (ha)		1 6 -	
<0.50	15	12.5	
0.50-1.00	45	37.5	
1.10-1.50	40	33.3	
1.51-2.00	14	11.7	
>2.00	6	5.0	
Total	120	100.0	

 Table 1. Distribution of farmers by selected socio-economic and demographic characteristics and farm specific variable.

Table 1. Cont.d	Table 1	. Cont.d
-----------------	---------	----------

Mean=1.01, SD=0.12		
Membership of association		
Yes	44	36.7
No	76	63.3
Total	120	100.0
Total	120	100.0
Soil conservation technique awareness		
No	22	18.3
Yes	98	81.7
Total	120	100.0

Source: Field Survey (2016).

Table 2. Different types of soil conservation methods used by farmers in the study area.

Selected technique	Frequency	Percentage	
Manuring and inorganic fertilizer	38	31.7	
Mulching/ cover cropping	49	40.8	
Shifting cultivation/bush fallowing	18	15.5	
Crop rotation	15	12.5	
Total	120	100.0	

Source: Field Survey (2016).

farm size in the study area was 1.01 hectare. Result further shows that 63.3% of the respondents did not belong to any farmers' group or association. The implication is that the categories of farmers might be excluded from the various benefits (economic gains and spiritual) derive from being members of social networks, such as cooperatives, farmers union etc. Group or association membership is needed to increase awareness on various agricultural innovations, and hence increases likelihood of adoption. The result supports Balogun (2011) that contribution and participation in group activities create economic gains and spiritual benefits. The result shows that 81.7% of the respondents were aware of various soil conservation techniques and actually employed some in their farms, while remaining were not.

Different types of soil conservation methods used by farmers in the study area are presented in Table 2. The result reveals that the prominent soil conservation method used in the study area by farmers was mulching/cover cropping (40.8) followed by manuring and inorganic fertilizer (31.7%) as a means of maintaining the condition of their farm lands. The least frequent use was crop rotation (12.5%). The reason might be that area of

land available for agriculture has continued to decline marginally because the area is located within the derived savannah region of the country.

Table 3 presents determinants of adoption of soil conservation techniques by farmers. The dependent variables defined as manuring and inorganic fertilizer, cropping, shifting cultivation/bush mulching/cover fallowing as well as crop rotation. The dependent variable manuring and inorganic fertilizer was used as the base category or reference cell. The Chi-square distributions was used to test overall model adequacy at specific significant level. Likelihood ratio also determines whether the multinomial logit model is preferable to binomial logit model. The result shows that the coefficient of age of the farmer, household size, farm size and access to credit were significant variables determining adoption of soil conservation technique by farmers. The coefficient of age is positively significant at (P<0.05) for farmers adopting shifting cultivation/bush fallowing soil conservation techniques, implying that the higher the age of the farmers, the higher their probability of adopting soil Shifting cultivation/Bush fallowing conservation techniques. This implies that a year increase in the age of farmer would increase the likelihood of adopting shifting

Table 3. Determinants of adoption of soil conservation techniques by farmers.

Explanatory variable	Mulching/cover cropping		Shifting cultivation/bush fallowing		Crop rotation	
	Coefficient	Marginal effect	Coefficient	Marginal effect	Coefficient	Marginal effect
Sex of farmer	-0.54311(-0.82)	-0.03787	-0.08296 (-0.08)	-0.03384	-1.04344(-1.33)	-0.132517
Age of farmer	0.01749 (0.50)	-0.00410	0.08768 (2.13)**	0.006173	0.072025 (1.89)*	0.008081
Marital status	-0.42229(-0.47)	-0.05036	-0.20154 (-0.18)	0.008601	-0.54127(-0.54)	-0.051167
Household size	-0.11561(-0.77)	-0.01653	-0.454786 (-2.07)**	-0.030796	-0.38816-(1.95)*	-0.042477
Years spent in school	-0.01978 (-0.36)	-0.00035	-0.00430(-0.06)	-0.001523	-0.060036 (-0.84)	-0.007747
Farm size	0.4386(2.17)**	0.06239	0.49816 (2.03)**	0.024656	0.29210 (1.17)	0.0053278
Membership of association	0.01701(1.33)	0.13339	-0.601799(-0.62)	-0.09873	1.01182 (1.34)	0.1107157
Access to credit	- 0.9338(-1.30)	-0.01265	-1.63477(-1.86)	-0.08882	-1.62450(-2.00)**	-0.15596
Constant	0.14524(0.10)		-2.22046(-1.28)		-0.15446 (-0.10)	
No of Observation	97					
Pseudo R ²	0.1583					
Log likelihood	-108.384					

Absolute value of z statistics in parentheses, * significant at 10%, ** significant at 5% and *** significant at 1% Omitted category in the dependent variables are the (Others such as use of fertilizer, Manure).

Source: Field Survey (2016).

cultivation/bush fallowing soil conservation techniques by 0.006173 units.

Household size with a negative coefficient is significant at five percent level. This implies that an additional member to family reduces the probability of using shifting cultivation/bush fallowing conservation techniques by 0.03% (p<0.05). The reason is that additional crop farmers to the household will tend to reduce the areas of land that can be left uncultivated for some years for the land to rest.

Farm size is positively significant in mulching/cover cropping and shifting cultivation/bush fallowing in soil conservation techniques at (p<0.05). Thus, if the farm size is increase by one hectare, lead to likelihood of farmer adoption of mulching/cover cropping and shifting cultivation/bush fallowing soil conservation

techniques by 0.0623 units and 0.0246 units respectively.

In the case of access to credit, the coefficient is negative and significant (P<0.05). This implies that better access to credit by crop farmers decreased the likelihood of adoption of crop rotation soil conservation techniques by 0.16%.

CONCLUSION AND RECOMMENDATIONS

The need to improve land management is obvious in the changing environment of Nigerian agriculture. Due to this, in this study special attention was paid to rural areas where land relations have profound implications for agricultural productivity, environmental sustainability and the economic and social status of rural households. The study

examined study examined soil conservation techniques among the food crop farmers in Odo Otin local government area of Osun State Nigeria. The result of the analysis showed that most of the respondents were not members of farmer's association and aware of various soil conservation techniques that could be adopted in their farms. Most farmers used mulching/cover cropping as a means of maintaining the condition of their farm lands. The determinant of adoption of soil conservation techniques employed by farmers showed that farm size is positively significant in mulching/cover cropping and shiftina cultivation/bush fallowing in soil conservation techniques at (p<0.05). The findings of this study have important policy implications for the adoption of improved soil conservation technology. Any further improved conservation technology initiative

should aim at enabling local farmers to adopt technology conducive to increasing income as well as to enhancing soil conservation. Hence, local institutions should be strengthened and their members empowered such that they can run effective institutions and promote technology adoption at the local level themselves.

CONFLICT OF INTERESTS

The authors have not declared any conflict of interests.

REFERENCES

- Acosta–Martínez V, Cotton J (2017). Lasting effects of soil health improvements with management changes in cotton–based cropping systems in a sandy soil. Biology and Fertility of Soils 53(1):533-546.
- Ademola AO, Olujide MG (2014). Soil Conservation Practices of Arable Crop Farmers in Atisbo Local Government Area of Oyo State, Nigeria. Advances in Research 2(12):879-888.
- Amsalu A, De Graaf J (2007). Determinants of adoption and Continue Use of Stone terraces for soil and water Conservation in an Ethiopian Highland watershade. Journal of Ecological Economics Elsevier 61(2-3):294-302.
- Babalola DA, Olayemi JK (2013). Determinants of farmers' preference for sustainable land management practices for maize and cassava production in Ogun state, Nigeria. Journal of Land and Rural Studies 2(2):233-247.
- Bello TA, Afodu OJ, Ndubuisi-Ogbonna LS, Akinboye OE, Akpabio U (2016). Determinants of Crop Farmers' Adoption of Soil Conservation Techniques: A case study in Ikenne Local Government, Ogun State, Nigeria. Quest Journals Journal of Research in Agriculture and Animal Science Volume 3(10):7-13.
- Blanke A, Rozelle S, Lohmar B, Wang J, Huang J (2007). Water saving technology and saving water in China. Agricultural water Management 87(2):139-150.
- Dimelu MU, Ogbonna SE, Enwelu IA (2013). Soil conservation practices among Arable Crop Farmers in Enugu-North Agricultural Zone, Nigeria: Implications for Climate Change. Journal of Agricultural Extension 17(1):184-196 .doi.org/10.4314/jae.v17i1.18
- Dumanski J, Peiretti R (2013). Modern concepts of soil conservation. International Soil and Water Conservation Research 1(1):19-23. https://doi.org/10.1016/S2095-6339 (15)30046-0.
- Dumanski J, Peiretti R, Benetis JR, McGarry D, Pieri C (2006). The paradigm of conservation tillage. Proc. World Assoc. Soil and Water Conservation P1: pp. 58-64. http://www.unapcaem.org/publication/ConservationAgri/ParaOfCA. pdf.

- Ezeaku PI (2012). Soil conservation and management options for adaptation to climate change in the 21st century. In: A. I., Enete and M. I. Uguru (eds) Critical Issues in Agricultural Adaptation to Climate Change in Nigeria, Enugu, Chengo Limited, pp. 84-113.
- Koch S (2007). Lecture Notes, presented to students in EKT 816 at the University of Pretoria in South Africa during the fall semester of 2006, University of Pretoria, Pretoria.
- Kurukulasuriya P, Mendelsohn R (2006). A Ricardian analysis of the impact of climate change on African crop land CEEPA Discussion Paper No. 8 Special Series on Climate Change and Agriculture in Africa.
- Lal R (2015). Restoring soil quality to mitigate soil degradation. Sustainability 7(5):5875-5895; doi: 10.3390/su7055875
- Powlson DS, Gregory PJ, Whalley WR, Quinton JN, Hopkins DW, Whitmore AP, Hirsch PR, Goulding KWT (2011). Soil management in relation to sustainable agriculture and ecosystem services. Food Policy 36:72-87.
- Schwab GO, Fangmeier DD, Elliot WJ, Richard KF (1993). Soil and Water Conservation Engineering, 4th ed. 1-16.
- Seenga RB (2014). Factors influencing adoption of soil conservation measures, sustainability and socio-economic impacts among smallholder farmers in Mbeya rural district Tanzania a dissertation submitted in partial fulfilment of the requirements for the degree of Master of Science in Management of Natural Resources for Sustainable Agriculture of Sokoine University of Agriculture. Morogoro, Tanzania.
- Seo SN, Mendelsohn R (2006a). Climate change impacts on animal husbandry in Africa: A Ricardian analysis. CEEPA Discussion Paper No. 9, Centre for Environmental Economics and Policy in Africa, University of Pretoria.
- Shah F, Wu W (2019). Review Soil and Crop Management Strategies to Ensure Higher Crop Productivity within Sustainable Environments. Sustainability 11(5):1485. doi:10.3390/su11051485.
- Wooldridge JM (2002). Econometric Analysis of Cross Section and Panel Data. MIT Press, Massachueetts, USA.